

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (canceled).
2. (canceled).
3. (currently amended) ~~The emergency flashlight as claimed in claim 1,~~ An emergency flashlight comprising a flashlight body, and a holder supporting said body:

in which said body includes a receiving section storing small batteries therein, an electric lighting section equipped at upper side of said receiving section and a lower covering section equipped at a lower side of said receiving section;

said holder includes a holder body section fixed to a structure or a wall, a support section extending from said holder body section and supporting said flashlight body, a protecting section horizontally extending from said holder body section and covering said electric lighting section of said flashlight body, and a cap pivotally supported by opposite ends of said support section through a hinge shaft;

on said receiving section included in said flashlight body, a transversely lengthy through slot is formed, and on said support section of said holder, a partition plate is placed and extended in a location corresponding to said through slot, so that said partition plate is inserted into said receiving section via said through slot of said receiving section and interposed between said batteries, interrupting electrical contact between said batteries when said flashlight body is fitted in said holder;

wherein in a ~~rear~~ rear side of said receiving section ~~111 or 211~~, a hook member is formed ~~114 or 214~~ giving good to provide portability for a user after said flashlight body ~~110 or 210~~ is taken out of said holder ~~120 or 220~~ is formed; and

said cap ~~124 or 224~~ is made of transparent acryl material in order for said flashlight body ~~110 or 210~~ held within said holder to be found easily out and has such a shape and size that said cap generally covers and protects said flashlight body ~~110 or 210~~.

4. (canceled).

5. (canceled).

6. (canceled).

7. (currently amended) ~~The emergency flashlight as claimed in claim 1,~~ An emergency flashlight comprising a flashlight body, and a holder supporting said body:

in which said body includes a receiving section storing small batteries therein, an electric lighting section equipped at upper side of said receiving section and a lower covering section equipped at a lower side of said receiving section;

said holder includes a holder body section fixed to a structure or a wall, a support section extending from said holder body section and supporting said flashlight body, a protecting section horizontally extending from said holder body section and covering said electric lighting section of said flashlight body, and a cap pivotally supported by opposite ends of said support section through a hinge shaft;

on said receiving section included in said flashlight body, a transversely lengthy through slot is formed, and on said support section of said holder, a partition plate is placed and extended in a location corresponding to said through slot, so that said partition plate is inserted into said receiving section via said through slot of said receiving section and interposed between said batteries, interrupting electrical contact between said batteries when said flashlight body is fitted in said holder;

wherein for preventing said ~~flashing~~ flashlight body from theft, projections 222e, 224b having a perforate hole are formed in a lower end of the cap 224 and a lower end of said support section 222, respectively; in order for a locking means to be mounted thereto; and

in case that said cap 224 is locked to said support section 222 through said locking means, a plurality of grooves are formed on surface of cap 224 in order that said cap is broken easily.

8. (canceled).

9. (currently amended) ~~The emergency flashlight as claimed in claim 1,~~ An emergency flashlight comprising a flashlight body, and a holder supporting said body:

in which said body includes a receiving section storing small batteries therein, an electric lighting section equipped at upper side of said receiving section and a lower covering section equipped at a lower side of said receiving section;

said holder includes a holder body section fixed to a structure or a wall, a support section extending from said holder body section and supporting said flashlight body, a protecting section horizontally extending from said holder body section and covering said electric lighting section of said flashlight body, and a cap pivotally supported by opposite ends of said support section through a hinge shaft;

on said receiving section included in said flashlight body, a transversely lengthy through slot is formed, and on said support section of said holder, a partition plate is placed and extended in a location corresponding to said through slot, so that said partition plate is inserted into said receiving section via said through slot of said receiving section and interposed between said batteries, interrupting electrical contact between said batteries when said flashlight body is fitted in said holder; and

wherein said lower end of said cap ~~124 or 224~~ and said lower end of said support section ~~122 or 222~~ to be abutted and locked to each other are made of a ~~conductive~~ conductive material and a circuit is formed on their surface, in order to sound an alarm when they are separated from each other.

10. (currently amended) The emergency flashlight as claimed in claim ~~1~~ 3, wherein said flashlight body ~~110 or 210~~ includes a speaker for sounding an alarm when said flashlight ~~110 or 210~~ is separated from said holder ~~120 or 220~~.

11. (new) The emergency flashlight as claimed in claim 7, wherein said flashlight body includes a speaker for sounding an alarm when said flashlight is separated from said holder.

12. (new) The emergency flashlight as claimed in claim 9, wherein said flashlight body includes a speaker for sounding an alarm when said flashlight is separated from said holder.

13. (new) The emergency flashlight as claimed in claim 3, wherein a glass cutting edge is attached to one side of said flashlight body, and a hammer piece is attached to another side of said flashlight body.

14. (new) The emergency flashlight as claimed in claim 7, wherein a glass cutting edge is attached to one side of said flashlight body, and a hammer piece is attached to another side of said flashlight body.

15. (new) The emergency flashlight as claimed in claim 9, wherein a glass cutting edge is attached to one side of said flashlight body, and a hammer piece is attached to another side of said flashlight body.